



AUSTRALIA'S MOST POWERFUL MINI LOADER

At McLoughlin Mini Loaders we listened to what is important to you.

In order for your business to prosper you need a rugged and reliable machine that is easy to operate and cheap to maintain. McLoughlin Mini Loaders offer a ROI that is unrivaled in the industry.

The McLoughlin Bush Ranger is the ultimate contractors machine.

The McLoughlin Bush Ranger allows the operator to clearly see the attachment while operating.

The Bush Ranger is one of the fastest and most powerful mini loaders available.

Through 3D modelling the Bush Ranger achieves unrivaled efficiency to convert every last drop of the Kohler's 23HP into hydraulic power.







KOHLER. Command PRO

Do you want an engine that works just as hard as you do every day?

With extended maintenance intervals and fuel-efficient operation, **Kohler Command PRO engines** will give one hundred percent.

- Integrated Kohler oil coolers extend oil-change intervals and maintain low temperatures during the entire power range.
- High-efficiency, heavy-duty air filters provide protection from debris and ensure longer service intervals.
- Extra-large sleeve bearings support heavy loads in commercial and industrial environments.



Ergonomic soft touch controls. Excellent line of site to view the working attachments. Large operators platform with curved fuel tanks to eliminate "hip bashing".

Clever weight distribution allowing for greater safe working loads and increased stability on rugged terrain.

SPECIFICATIONS

Engine:	23hp KohlerCommand Pro Petrol Engine
Bucket Capacity:	0.15m ³
Ground Speed:	Up to 7.5km/hr
Operating Weight:	940kg
Tyres:	18 x 8.5/8
Oil:	430lpm
Maximum Working Height:	2180mm
Maximum Pin Height:	1710mm
Maximum Dump Height:	1750mm - 1950mm
Angle of Departure:	20°
Ground Clearance:	135mm - 175mm
Wheelbase:	710mm - 800mm
Machine Height:	1350mm
No Bucket Length:	1565mm
Bucket Width:	1020mm
Length with Bucket:	2240mm
Turning Radius with Bucket	t: 1300mm
Total Width (with Bucket):	1030mm
WLL/SWL:	380kg
Bucket Unloading Angle:	33°
Opening/Closing Angle:	35°



STANDARD & SAFETY FEATURES

- · Powerful 23hp Kohler Engine
- 14CC Italian Pump
- 1 Auxiliary Hydraulic Outlet
- Hard Wearing Tyres
- · Quick Hitch System
- AWD System
- Flow Controller
- Trenching/ground Speed Control Valve
- · Zinc Undercoat, Powdercoat & TopCoat Frame
- · 2 Lifting Cylinders Evenly Distributing Load
- Safety Hydraulic Relief Valve
- 1 x 25L Fuel Tank
- · Fabricated 10mm Plate Chassis
- Key Start
- Soft Touch Ergonomic Controls
- Rugged Tie-down Points for Secure Transporting
- · Maintenance Free Grease-less Bushes
- Solid Operating Platform
- Excellent Line of Site to Attachment









Engineered by McLoughlin Mini Loaders, Queensland Australia.



McLoughlin Mini Loaders are built tough for the Australian demanding conditions. We are often copied, but never equalled.



Warranty, service and maintenance carried out through our extensive dealer network.



We freight Australia-wide.



For a test drive or a full demo contact your local representative below:



07 3217 0700

Unit 7, 43 Station Avenue, Darra, Brisbane 4076

info@mcloughlinloaders.com

www.mcloughlinloaders.com